



Product Specifications

Touch Panel Controller

THC-5681

Product Version: V01



RoHS Compliance

Issue Date: Oct-31-2007

Document Version: 1.2



Overview:

The THC-5681 provides the optimistic performance for most 8-wire analog resistive touch panels. It communicates with PC system directly through RS-232 port. The touchscreen device driver is able to emulate mouse left and right button for various operation systems.

Hardware Specifications

Circuit Board Dimension	75.00mm x 35.00mm
Touch Controller	Hampshire controller HSA01 series
Power Requirements	DC + 5V +/- 5%
Power Consumption	< 2 mA @ 4V, 4MHz
Brown out Voltage	2.7V
Operation Temperature	-40°C to 85 °C
Storage Temperature	-65°C to 120°C
Interface	RS-232 mode: Bi-direction RS-232 serial communication 9600 (baud rate)
Resolution	True 10-bit (1,024 x 1,024) ratio metric analog to digital converter (1,048,576 points in the field)
Position Detection Speed	> 120 pts/sec (unfiltered points)
Pin out Definition	BOTTOM, B SENSE, T SENSE, TOP, RIGHT, R SENSE, L SENSE, LEFT
Green Product	RoHS

Software Support:

Drivers are available for Windows™ 9X, 2K, ME, XP, NT™, DOS™, Linux™, MAC and other operating systems and their variations.

